



Show Pig

Pig Start 25-50

Complete Feed for Growing Swine

MEDICATED

For control of swine dysentery associated with *Brachyspira* (formerly *Serpulina* or *Treponema*) *hyodysenteriae* susceptible to Tiamulin. Feed continuously as sole ration on premixes with a history of swine dysentery but where signs of disease have not yet occurred or following an approved treatment of the disease.

Control of porcine proliferative enteropathies (ileitis) associated with *Lawsonia intracellularis*. Feed continuously as the sole ration for not less than 10 days.

ACTIVE DRUG INGREDIENT

Tiamulin Hydrogen Fumarate..... 35 g/T

GUARANTEED ANALYSIS

Crude Protein, Minimum.....	19.00%
Lysine, Minimum.....	1.32%
Crude Fat, Minimum.....	5.60%
Crude Fiber, Maximum.....	3.50%
Calcium, Minimum.....	.70%
Calcium, Maximum.....	.85%
Phosphorus, Minimum.....	.60%
Salt, Minimum.....	.35%
Salt, Maximum.....	.45%
Selenium, Minimum.....	.30 ppm
Zinc, Minimum.....	1,940 ppm

INGREDIENTS

Grain Products, Plant Protein Products, Vegetable & Animal Fat, Animal Protein Products, Monocalcium Phosphate, Lactose, Calcium Carbonate, Bentonite, Salt, Potassium Chloride, Magnesium Oxide, Vegetable and Animal Fat (preserved with BHT), L-Threonine, L-Tryptophan, L-Lysine, DL Methionine, Natural and Artificial Flavors Added, Vitamin A Acetate in Gelatin, Vitamin D3 Supplement, Vitamin E Supplement, Vitamin B12 Supplement, Menadione Sodium Bisulfite Complex, Riboflavin Supplement, d-Calcium Pantothenate, Thiamine Mononitrate, Niacin Supplement, Pyridoxine Hydrochloride, Folic Acid, Choline Chloride, d-Biotin, Zinc Oxide, Ferrous Sulfate, Manganous Oxide, Copper Sulfate, Ethylenediamine Dihydriodide and Dried *Aspergillus niger* Fermentation Product (PHYTASE) and Dried *Schizosaccharomyces pombe* Fermentation Product Sodium Selenite.

FEEDING DIRECTIONS

Feed as sole ration to growing pigs from 25-50 pounds

Consult ROWE NUTRITION LLC for additional information on additional ingredients and Sunglo Show feed additives for specific enhancement for Show Pigs.

WARNING: Withdraw medicated feed 2 days before slaughter following use at 35 g/ton and 7 days following use at 200 g/ton.

CAUTION: Do not feed to animals other than swine. The effects of Tiamulin on swine reproductive performance, pregnancy and lactation have not been determined. Use as the only source of Tiamulin. Swine being treated with Tiamulin should not have access to feeds containing polyether ionophores (e.g. Monesin, Lasalocid, Niarasin, Salinomycin and Semduramicin) as adverse reactions may occur. If signs of toxicity occur, discontinue use of medicated feeds.

- Formulated from **Sunglo Show Base** containing additional ingredients to meet or exceed **Sunglo** Show Pig nutritional specifications.
- For Show Pigs from 25-50 pounds.
- Multiple protein sources and additional palatability factors to assure proper muscle and skeletal development while encouraging feed intake.
- Probiotics for increased well being, better metabolism, reduced stress and to maintain healthy and flourishing microorganisms at optimal levels.

Contact **Rowe Nutrition LLC**

www.rowenutrition.com for all Sunglo
www.sunglofeeds.com products throughout the
show season for specific nutritional Show Pig
needs.



10107 US Route 127 North
West Manchester, Ohio
Office: 937-678-9015
Email: info@rowenutrition.com
Web: www.rowenutrition.com